



ELSEVIER

ClinicalKey®

User Guide

Elsevier Korea






ClinicalKey 등록 및 로그인

(모바일 외부 접속 포함)


1. 기관 내 IP에서 PC로 ClinicalKey 접속: www.clinicalkey.com



The screenshot shows the ClinicalKey homepage. At the top left is the ClinicalKey logo. Below it, a large grey box contains the text "Search for conditions, procedures, drugs, and more". Below this text is a search bar with a dropdown menu set to "All Types", a search input field with the placeholder "Search...", and a magnifying glass icon. To the right of the search bar are links for "Saved Searches" and "Search History". Below the search bar is a "Browse" section with a horizontal list of categories: "Books", "Journals", "Drug Monographs", "Guidelines", "Patient Education", "Clinical Overviews/First Consult", and a three-dot menu icon.

ClinicalKey®

Search for conditions, procedures, drugs, and more

All Types ▼ Search... 

Saved Searches Search History

Browse

Books Journals Drug Monographs Guidelines Patient Education Clinical Overviews/First Consult ...

2. 오른쪽 상단 “Registration” 클릭: 기관 도메인 이메일 등록

* 표시 필수 입력 및 체크

 English CME/MOC Login **Register**

Register

Registration is quick and free. It allows you to personalize the [Elsevier products](#) to which you have access.

* = Required. [Privacy policy](#).

Your details

First name *

Family name *

Email and password

Your e-mail address will be your username for these [Elsevier products](#).

Email address *

Password *

> Additional profile details

☐ I wish to receive information from Elsevier B.V. and its affiliates concerning their products and services

☐ I have read and understood the [Registered User Agreement](#) and agree to be bound by all of its terms. *

Register >

3. “Registration”한 이메일과 비밀번호로 PC 로그인 ([Registration 이메일이 전달됩니다](#))

Registration Confirmation


Thank you for registering at ClinicalKey. Your login information is as follows:

Username:

Elsevier B.V., Radarweg 29, 1043 NX Amsterdam, The Netherlands. Reg. no. 33156677. VAT no. NL 005033019B01.

Copyright © 2014 Elsevier B.V. | [Privacy Policy](#)

4. 오른쪽 상단의 [“Username” → “Remote Access”](#) 클릭



5. [“Apply for remote access”](#) 페이지에서 등록한 이메일 주소(Username) 입력

Apply for remote access

If your institution has Remote Access enabled, this feature will allow you to access ClinicalKey even when you are not on your institution's network.

To begin, please input your institutional email address below. Remote Access is not compatible with a Yahoo, Gmail, or other personal email account. If you do not have an email address associated with your institution, please contact your institution's administrator to obtain remote access.

Email address

Continue >

6. 60분 내로 전달된 이메일의 link 클릭 ([Activate your remote access](#))

Dear Customer,

Thank you for choosing the remote access activation option. To confirm please use the link below.


[Activate your remote access](#)

This confirmation link is only for , please do not forward this message.

Regards,

The ClinicalKey team.

7. 외부 PC, 모바일([ClinicalKey App](#)) 등으로 Remote access 가능





Search & Browse

1. Main Page

- Search & Browse 가능
- News and Update 및 Trending Topics 정보 확인 가능

The screenshot displays the ClinicalKey main page. At the top, a search bar is highlighted with a red box, containing the text "Search for conditions, procedures, drugs, and more". Below the search bar, there is a dropdown menu for "All Types" and a search input field. To the right of the search bar, there are links for "Saved Searches" and "Search History". Below the search bar, there is a "Browse" section with links for "Books", "Journals", "Drug Monographs", "Guidelines", "Patient Education", and "Clinical Overviews/First Consult".

Below the search bar, there are two tabs: "News and Updates" and "Trending Topics". The "News and Updates" tab is highlighted with a red box. Under this tab, there are three sections: "Content Updates", "Other Updates", and "Trending Topics".

The "Content Updates" section includes links for "New Books and Clinical Overviews in January 2019", "New Journal and Books in December 2018", and "New Books and Journals in November 2018".

The "Other Updates" section includes links for "Challenges and controversies in testosterone therapy" and "Opioid Research Center".

The "Trending Topics" section includes links for "How to use ClinicalKey", "A Physician Reference", "Training Calendar", and "Trending Topics".

2. Search Result

- 처음 검색 결과는 Relevance로 확인, Date Published로 수정하여 결과 확인 가능
- 왼쪽에서 Source Type, Specialties, Date를 필터로 제한 검색 가능

ClinicalKey® Search Browse

All Types yellow fever x Q Saved Searches Search History

Filter By:

Source Type

- ☐ Journal Articles 1917
- ☒ Full Text Only
- ☐ Full Text and MEDLINE
- ☐ Systematic Reviews 15
- ☐ Meta-analyses 3
- ☐ Randomized Control Trials 29
- ☐ Narrative Reviews 456
- ☐ Images 584
- ☐ Books 457
- ☐ Clinical Trials 36
- ☐ Clinical Overviews/First Consult 24
- ☐ Guidelines 7
- ☐ Patient Education 6
- ☐ Drug Monographs 1

Specialties v

Date v

☐ 3029 results

Sort by: Relevance v

[+] Rate Results

☐ CHAPTER EXCERPT

Epidemiology

Yellow Fever

Yellow fever is one of the great epidemic diseases of tropical Africa and the Americas. It receives its appellation "yellow" from the symptom of jaundice, which appears in severe disease, and it is caused by an RNA virus, specifically a Flavivirus...

Conn's Current Therapy 2018.
Lampton, Lucius M., MD., Published January 1, 2018. © 2018.

[See more results from this chapter](#)

☐ CHAPTER EXCERPT

Yellow Fever

Flaviviruses (Dengue, Yellow Fever, Japanese Encephalitis, West Nile Encephalitis, St. Louis Enceph...

Hospitalization in an intensive care facility where the patient can be sequestered from mosquitoes is recommended to provide close clinical monitoring and supportive care and to prevent anthroponotic transmission. Blood in the acute phase of illne...

Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, Updated Edition.
Thomas, Stephen J.; Endy, Timothy P.; Rothman, Alan L.... [Show all..](#) Published January 1, 2015. © 2015.

[See more results from this chapter](#)

☐ CHAPTER EXCERPT

Prevention

Yellow Fever

Yellow fever 17D is a live-attenuated vaccine with a long record of safety and efficacy. It is administered as a single 0.5 mL subcutaneous injection at least 10 days before arrival in a yellow fever-endemic area. With the exceptions noted later, ...

Yellow Fever

[Disease Overview](#) [View Full Topic](#)

Ferri's Clinical Advisor 2018 · Ferri, Fred F., M.D., F.A.C.P.

Definition ^

Yellow fever is a mosquito-borne infection, primarily of the liver, with systemic manifestations caused by the yellow fever virus (YFV). The clinical spectrum ranges from asymptomatic infection to life-threatening disease with severity and mortality highest in the elderly. [More](#)

Etiology v

Diagnosis v

Differential Diagnosis v

Treatment v

Prevention v

Was this helpful? [Yes](#) or [No](#)

3. Disease Overview

- 오른쪽에서 Disease Overview 정보를 간단하게 확인 가능
- View Full Topic 클릭 시, Ferri's Clinical Advisor와 Conn's Current Therapy 자세한 정보 확인

Yellow Fever

Disease Overview

[View Full Topic](#)

Ferri's Clinical Advisor 2019 · Ferri, Fred F., M.D., F.A.C.P.

Definition

Yellow fever is a mosquito-borne infection, primarily of the liver, with systemic manifestations caused by the yellow fever virus (YFV), a flavivirus that infects the liver. The clinical spectrum ranges from asymptomatic infection to life-threatening disease with severity and mortality highest in the elderly. [More](#)

Etiology

Diagnosis

Differential Diagnosis

Treatment

Prevention

DISEASE OVERVIEW

Yellow fever

Ferri's Clinical Advisor 2019 Conn's Current Therapy 2019 [More Results](#)

Definition

Yellow fever is a mosquito-borne infection, primarily of the liver, with systemic manifestations caused by the yellow fever virus (YFV), a flavivirus that infects the liver. The clinical spectrum ranges from asymptomatic infection to life-threatening disease with severity and mortality highest in the elderly.

[Latest Definition Articles](#) | [yellow fever & Definition Results](#)

Etiology

- YFV (*L. flavus*) : small enveloped single-strand RNA virus
 1. Flavivirus infects hepatic cells
 2. Late in infection, cytopathic effects (antibody- and cell-mediated) produce pathology
- Vector
 1. *Aedes aegypti* (urban)
 2. *Aedes* spp., *Haemagogus* (especially in Amazon) mosquitos (sylvan)
 3. Primary hosts: humans and simian species
 4. Exists in two transmission cycles:

Related Content

Specialty Views

- [Yellow Fever Nelson Textbook of Pediatrics](#)

Related Drugs

- [Yellow Fever Vaccine, Live](#)
- [More](#)

Related Patient Education

- [VIS, Yellow Fever - CDC \(03/30/2011\)](#)
- [Yellow Fever Virus Strain 17D-204 Live antigen Suspension for injection](#)
- [Viral Hemorrhagic Fevers](#)
- [More](#)

Related Complications

- [mumps](#)
- [shock](#)
- [coma](#)
- [More](#)

Related Guidelines

[View chapter](#)

Copyright © 2019 by Elsevier, Inc. All rights reserved.

4. Books & Journals

- 웹 페이지에서 Books & Journals의 원문 정보 확인 가능
- Book PDF 다운로드 는 로그인 이후만 가능

BOOK

Abeloff's Clinical Oncology, Fifth Edition

Table of Contents

Front Matter	29. Cancer Pharmacology	67. Eye, Orbit, and Adnexal Structures
Copyright	30. Hematopoietic Stem Cell Transplantation	68. Cancer of the Head and Neck
Dedication		
Memoriam		
Preface		
Contributors		

Abeloff's
CLINICAL ONCOLOGY
FIFTH EDITION

Niederhuber, John E., MD; Armitage, James O., MD; Doroshow, James H., MD; Kastan, Michael B., MD, PhD; Tepper, Joel E., MD
Copyright © 2014 by Churchill Livingstone, an imprint of Elsevier Inc.

ANNALS OF MEDICINE & SURGERY

Annals of Medicine and Surgery

New Issue Alerts: [Subscribe](#)

Search this journal

- Introduction
- Methods
 - Selection criteria
 - Search strategy
 - Data extraction
 - Critical appraisal and statistical analysis
- Results
 - Study selection
 - Patient and procedural characteristics

FULL TEXT ARTICLE

Polymer-free versus durable polymer drug-eluting stents in patients with coronary artery disease: A meta-analysis

James J. Wu, Joshua A.H. Way, Leonard Kritharides and David Brieger
Annals of Medicine and Surgery, 2019-02-01, Volume 38, Pages 13-21, Copyright © 2018

Abstract

Background

Polymer-free drug-eluting stents (PF-DES) were introduced with the aim of reducing the risk of stent thrombosis associated with durable polymer drug-eluting stents (DP-DES). The comparison of safety and efficacy profiles between these two stent platforms remains unclear.

Current Issue
2014-3-1, Volume 3, Issue 1

Journal Volumes:


- > Volume 39 (2019)
- > Volume 38 (2019)
- > Volume 37 (2019)
- > Volume 36 (2018)

5. Drug Monograph

- 약물정보 확인 가능, 참고문헌 링크로 해당 정보 연결


Browse Drug Monographs

Filter By:

Drug Class 

A B C D E F G H I J K L M
N O P Q R S T U V W X Y
Z #

- ☐ ACTH And Analogs 9
- ☐ ADHD Adjunct Agents 1
- ☐ ADHD Agents 12
- ☐ ADHD Agents, Non-stimulant 2
- ☐ ADHD Agents, Stimulant, And Other 9

Filter List by Title 

A B C D E F G H I J K L M N O P Q R S

Abacavir
Ziagen

Abacavir; Dolutegravir; Lamivudine

Indications & Dosage

Administration

Monitoring Parameters

Contraindications

Interactions

Adverse Reactions

Classifications

References

Global Drug Names

DRUG MONOGRAPH

Midazolam

Versed

Drug Information Provided By Gold Standard

Description

Midazolam is a very short-acting benzodiazepine. It is used for conscious sedation, anxiolysis, and amnesia during minor surgical or diagnostic procedures, as an anesthesia induction agent, or as an adjunct to regional anesthesia. Midazolam has a slower induction time and more prolonged recovery time than does thiopental. The manufacturers label contains a black-box warning that describes the risk of respiratory arrest, the need for adequate personnel and equipment when administering midazolam, and the appropriate dose titration (see Contraindications). Midazolam was originally thought to be preferable to other benzodiazepines for conscious sedation because of its potency and its short duration of action, however, comparisons with diazepam, an agent with a much longer half-life, have not revealed a consistent advantage of midazolam in the surgical setting.²⁴¹⁴⁵ Parenteral midazolam is also used therapeutically in the management of agitation in mechanically ventilated patients in intensive care units, and to treat refractory status epilepticus. Oral midazolam is useful in reducing

References

- 647: Backman JT et al. Dose of midazolam should be reduced during diltiazem and verapamil treatments. Br J Clin Pharmacol. 1994;37:221.
[View In Article](#)
- 648: Olkkola KT et al. Midazolam should be avoided in patients receiving the systemic antimycotics ketoconazole or itraconazole. Clin Pharmacol Ther 1994;55:481.
[View In Article](#)
- 2974: Frye RF, Kroboth PD, Folan MM, et al. Effect of DHEA on CYP3A4-mediated metabolism of triazolam (Abstract PI-82). Clin Pharmacol Ther 2000;67:109.
[View In Article](#)
- 3610: Woolerton E. Droperidol: cardiovascular toxicity and deaths. CMAJ 2002;166:932.
[View In Article](#)
- 3898: Wang Z, Gorski JC, Hamman MA, et al. The effects of St John's wort (Hypericum perforatum) on human cytochrome P450 activity. Clin Pharmacol Ther 2001;70:317-26.
[View In Article](#)

- 임상관련 지침 확인 가능

ClinicalKey®

7. Patient Education

- 환자교육자료 제공, 500종 이상의 한국어 자료 포함 (Create printable PDF)
- 한국어 환자교육자료 활용방법: 사용가능언어(Korean) → Print(Korean) → Create printable PDF

Browse Patient Education

Filter By:

[X Clear all](#)

Specialties

- ☐ Dentistry 11
- ☐ Dermatology 23
- ☐ Emergency 169
- ☐ Endocrinology and Metabolism 44
- ☐ Gastroenterology and Hepatology 70
- ☐ Hematology, Oncology, and Palliative Medicine 48
- ☐ Infectious Disease 53
- [+ More Specialties](#)

Available Languages [v](#)

- ☒ Korean 542
- ☐ Subscribed Content

Filter List by Title [v](#)

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

24-Hour Urine Collection
Available to print in English, ... [Show all](#). Interactive Patient Education. June 27, 2018.

Abdominal Pain, Adult
Available to print in English, ... [Show all](#)

Abdominal Pain, Pediatric
Available to print in English, ... [Show all](#)

Abrasion
Available to print in English, ... [Show all](#). Interactive Patient Education. June 27, 2018.

PATIENT EDUCATION

24-Hour Urine Collection

Elsevier Interactive Patient Education © 2018 Elsevier Inc.
Last revised: June 27, 2018.

How do I do a 24-hour urine collection?

[Print](#)

Available to print in English, Arabic, Bosnian, Spanish, Croatian, French, Haitian Creole, Korean, Polish, Portuguese, Russian, Tagalog, Vietnamese & Chinese (Mandarin/Traditional).

Contact Information

Contact Name

Phone

Contact Email

[+ Add Another Contact](#)

Text Size

☐ Small ☒ Medium ☐ Large

[Create printable PDF](#)

24시간 소변 채취는 어떻게 하나요?

- 아침에 일어나자마자, 변기에 소변을 보시고 물을 내리십시오. 시간을 기록하십시오. 이는 소변을 채취한 날의 시작 시간이 되며 끝나는 시간은 다음 날 아침이 됩니다.
- 이때부터, 모든 소변은 제공된 플라스틱 용기에 수집하십시오.
- 소변을 처음 수집하고 난 24시간 후에는 더 이상 수집하지 마십시오.
- 만약 제공된 플라스틱 용기에 이미 액체가 담겨 있어도 괜찮습니다. 용기 안에 있는 액체를 버리거나 세척하지 마십시오. 일부 검사에의 경우 소변에 이 액체가 첨가되어야 합니다.
- 소변 검사 동안 플라스틱 용기는 아이스박스에 차게 보관하거나 냉장고에 넣어 놓으십시오.
- 24시간이 지나면 플라스틱 용기를 검사실로 가져가십시오. 검사실로 이동하는 동안 용기를 아이스박스에 보관해 주시기 바랍니다.

8. Multimedia

- Specialties와 Media Type(Image, Video)으로 필터 설정 가능
- 이미지 PPT 파일로 변환: (1) 로그인 → 이미지 클릭 → 모니터 모양의 Add to Presentation 클릭 → 폴더명 설정 후 Add
(2) 로그인 → 사용자이름 → Presentation → 해당폴더 → Export

Browse Multimedia

Filter By:

Specialties

- ☐ Adult Acute and Critical Care Nursing 2333
- ☐ Advanced Basic Science 167793
- ☐ Advanced Practice Nursing 974
- ☐ Allergy and Immunology 160180
- ☐ Anatomy 14979
- ☐ Anesthesia 57879
- ☐ Anesthesia & Perioperative Care 20
- [+ More Specialties](#)

Media Type

- ☐ Images 4042252
- ☐ Videos 51806

Implanted Port

Clinical Skills: Figure 1.

Port placement. (Courtesy of C.R. Bard, Inc., Maryland)

Add to Presentation

Select Presentation [+ Create New](#)

New


- 2018_test
- test1

Add

Export

Presentations

ClinicalKey®



Implanted Port This skill describes how to access, deaccess, and care for an implanted venous port.

Clinical Skills; Implanted Port; Last updated 2019-02-01

Copyright © 2006 - 2019 Elsevier Inc. All Rights Reserved.

9. Procedures Consult

- 시술/수술 동영상 정보 확인 가능

Browse Procedures Consult

Filter By:

[x Clear all](#)

Specialties

☐ Anesthesiology 52

☐ Cardiovascular 31

☒ Emergency

☐ Family Medicine

☐ Internal Medicine

☐ Orthopedics

☐ Pediatrics

☐ Surgery

☒ Subscribed

Filter List by Title



A B C D E F G H I J K L M N O P Q R S T U V W X

Abdominal Paracentesis

Valerie Vigil.

PROCEDURES CONSULT

Abdominal Paracentesis

Last Reviewed: 5/7/2017

Contributors: Valerie Vigil, MD, Emergency Medicine Resident, Stanford-Kaiser Emergency Medicine Residency, Todd W. Thomsen, MD, Attending Physician, Department of Emergency Medicine, Mount Auburn Hospital, Cambridge, MA, Division of Emergency Medicine, Harvard Medical School, Boston, MA

Section editor; Phillip M. Harter, MD, Assistant Professor Stanford University School of Medicine Director, Stanford-Kaiser Emergency Medicine Residency Division of Emergency Medicine Stanford University, Stanford, CA

Editors: Todd W. Thomsen, MD, Attending Physician, Department of Emergency Medicine, Mount Auburn Hospital, Cambridge, MA, Division of Emergency Medicine, Harvard Medical School, Boston, MA, Gary S. Setnik, MD, FACEP, Chair, Department of Emergency Medicine, Mount Auburn Hospital, Cambridge, MA, Assistant Professor, Department of Medicine, Harvard Medical School, Boston, MA

CPT codes

49080 Abdominal paracentesis, initial

49081 Abdominal paracentesis, subsequent

FULL DETAILS

PRE-PROCEDURE

Introduction

[See Figure 1.](#)



Figure 1: Abdominal paracentesis

Abdominal paracentesis may be performed as a diagnostic or therapeutic intervention. Removal of ascitic fluid allows diagnosis of new-onset ascites and may be performed to relieve tense abdominal collections in



Thank you

Elsevier Korea

